

R Hyper CVAD + Auto SCT

University Move

HINI Shot

Round 1

In-Patient: July 3-7

- Cyclophosphamide
- Dexamethasone
- Rituxamab
- Doxorubicin
- Vincristine

Round 2

In-Patient: Jul 29 - Aug 2

- Methotrexate
- Cytarabine
- Rituximab
- Neulasta

Harvesting

Out-Patient: Sep 11-22

- Cyclophosphamide
- Lasix
- Dexamethasone
- Rituximab
- G-Csf

Round 4

Out-Patient: Oct 2-12

- Cyclophosphamide
- Dexamethasone
- Rituxamab
- Doxorubicin
- Vincristine

Round 5

In-Patient: Oct 27-31

- Methotrexate
- Cytarabine
- Rituximab
- Neulasta

Transplant

In-Patient: Nov 24-30

- PICC installed
BEAM
- Carmustine
 - Etoposide
 - Cytarabine,
 - Melphalan

Complications

- Rituximab reaction (initial)
- Weakness
- Fluid in lungs
- C. Difficile
- Hospitalization

Complications

- Chemo fatigue
- Diarrhoea
- Transfusion (RBC + Platelets)

Complications

- Vomiting given high dose of cyclo
- Hospitalization to get electrolytes in balance
- Harvesting in one session

Complications

- Less than Round 1
- Chemo fatigue
- Diarrhoea
- Short hospitalization for fever/infection
- Puffer to help with lung passage inflammation

Complications

- Chemo fatigue
- Diarrhoea
- Transfusion (RBC + Platelets)

Complications

- Weight loss
- Taste loss
- Mucositis (mild)
- Diarrhoea + C. Difficile
- Transfusion (RBC + Platelets)
- Signs of pneumonia, short hospitalization
- PICC line infection



Tumour Treatment



Central Nervous System Treatment



Conditioning Regime